Evidence-Based Medicine



Contents

Purpose and procedure

EBM notebook

97

- 98 Jottings ...
- 98 Knowledge-to-action cycle
- **101** Evidence-based medicine targets the individual patient, part 1: how clinicians can use study results to determine optimal individual care
- **102** "Self testing but not self managing"
- 102 Response
- 102 Dare to be RISCY!

Evidently

103

Therapeutics

- **104** Telling smokers their "lung age" promoted successful smoking cessation
- **105** Review: cranberry products may prevent urinary tract infection in women with recurrent infections
- **106** Honey, not dextromethorphan, was better than no treatment for nocturnal cough in children with upper respiratory infections
- **107** Altering the glycaemic index or carbohydrate intake did not affect glycaemic control in type 2 diabetes
- **108** Adjustable gastric banding plus conventional therapy improved glycaemic control in obese patients with type 2 diabetes
- **109** A personalised intervention reduced weight regain in overweight and obese adults who had recently lost weight
- **110** Review: paroxetine and placebo do not differ for treatment discontinuation in major depression
- 111 Review: α -antagonists and calcium channel blockers both improve spontaneous expulsion of kidney stones
- 112 Review: reduction in resting heart rate after taking β -blockers or calcium channel blockers reduce mortality and morbidity after MI
- **113** Review: statins prevent stroke and reduce mortality
- **114** Dexamethasone and placebo did not differ for respiratory status change or hospital admission in infants with acute bronchiolitis

August 2008 Vol 13 No 4

- **115** Review: azathioprine, infliximab, certolizumab, and adalimumab are effective for maintaining remission in Crohn's disease
- **116** Review: lack of evidence that multifactorial risk assessment and targeted interventions prevent falls in elderly people
- **117** CT pulmonary angiography was not inferior to ventilation—perfusion lung scanning for ruling out PE

Diagnosis

- **118** A rapid antibody test had high specificity but low sensitivity for diagnosing coeliac disease
- **119** Albumin:creatinine ratio using an automated analyzer was accurate for diagnosing proteinuria in pregnancy

Prognosis

120 Age, sex, and functional impairment predicted risk of mortality in incident dementia at 14 years

Aetiology

121 Young women's risk of first HPV infection was high and increased when the first male partner was sexually experienced

Quality improvement

122 Review: symptom-based action plans reduce acute care visits more than peak flow-based plans in children with asthma

Clinical prediction guide

123 QRISK underestimated risk of CVD in general practice patients; the Framingham score overestimated risk

Resource reviews

124

Additional articles abstracted in ACP Journal Club

126

Other articles noted

127

Glossary

Inside back cover

ebm.bmj.com

This article has been chosen by the Editor to

This journal is a member of and subscribes to

the principles of the Committee on Publication

www.publicationethics.org.uk

be of special interest or importance and is

freely available online.

C O P E COMMITTEE ON PUBLICATION ETHICS

Ethics