# **Evidence-Based Medicine**



# **Contents**

#### **Editorial**

Accentuating the positive

# **Perspective**

The role of angiotensin receptor blockers in the prevention of cardiovascular and renal disease: time for reassessment?

# **Original EBM research**



A comparison of the accuracy of clinical decisions based on full-text articles and on journal abstracts alone: a study among residents in a tertiary care



# **Systematic review**

Psychological consequences of false-positive screening mammograms in the UK



## **Therapeutics**

- Cessation of donepezil is associated with clinical decline in patients with moderate-to-severe Alzheimer's disease compared to continuation of donepezil or addition or substitution of memantine
- Exercise may be beneficial for patients with chronic severe sciatica who would normally qualify for
- Coronary CT angiography reduces unnecessary admissions and allows safe discharge of emergency department patients with low-to-intermediate risk
- 65 Tranexamic acid reduces blood transfusion in surgical patients while its effects on thromboembolic events and mortality are uncertain
- Non-operative management of uncomplicated acute appendicitis: using antibiotics is effective and decreases morbidity
- 68 Bariatric intervention effective at reversing Type 2
- Thromboprophylaxis in heart failure patients with sinus rhythm: aspirin and warfarin lead to similar cardiovascular outcomes

#### **Prevention**

- Probiotics are associated with a decreased risk of antibiotic-associated diarrhoea
- No benefit and potential harm with an educational and care management programme for chronic obstructive pulmonary disease
- Among statin-treated patients, LDL, non-HDL and apoB cholesterol biomarkers were associated with increased risks of cardiovascular events

# April 2013 Volume 18 No 2

# Diagnosis

Review of evidence concerning PSA screening for prostate cancer has limitations as basis for policy development

## **Prognosis**

Parent-reported sleep-disordered breathing symptoms early in life predict childhood behavioural problems at age 4 and 7 years

## Letters

- In reference to: amoxicillin-clavulanate improves symptoms, reduces treatment failure in select children with acute otitis media and increases risk of diarrhoea
- 80 Comment on 'A qualitative approach to Bayes' theorem' by Medow and Lucey

#### **Online articles**

- e11 Mild biliary pancreatitis: interval (delayed) cholecystectomy is associated with readmission for recurrent biliary events
- Dietary interventions more effective than physical activity or mixed interventions for weight management during pregnancy
- Metformin may not reduce cardiovascular risk or all-cause mortality
- Aspirin prophylaxis in people without prior cardiovascular disease does not lead to reductions in cardiovascular death or cancer mortality
- Application of 4% chlorhexidine solution for cord cleansing after birth reduces neonatal mortality and
- e16 Atrial fibrillation is associated with an increased risk of cognitive and functional decline
- Mammography screening in Norway caused e17 substantial overdiagnosis and did not reduce late-stage breast cancers
- Weight loss and improved fitness slow down the decline in mobility in obese adults with type 2
- e19 Thrombolytic therapy with or without a vena cava filter results in a lower case fatality rate in unstable patients with acute pulmonary embolism
- Delayed acyclovir therapy in neonates with herpes simplex virus infection is associated with an increased odds of death compared with early therapy



This article has been chosen by the Editor to be of special interest or importance and is freely available online



This article has been made freely available OPEN ACCESS Online under the BMJ Journals Open Access scheme. See http://ebm.bmj.com/site/ about/quidelines.xhtml#open



COPE committee on publication ethics

This journal is a member of and subscribes to the principles of the Committee on Publication

www.publicationethics.org.uk





Receive regular table of contents by email.

Register using this QR code.

