## Redefining the 'E' in EBM

## Tom Jefferson, Lars Jørgensen<sup>2</sup>

10.1136/bmjebm-2018-110918

<sup>1</sup>Centre for Evidence-Based Medicine, University of Oxford, Oxford, UK <sup>2</sup>Nordic Cochrane Centre, Kobenhavn, Denmark

Correspondence to: **Dr Tom Jefferson**, Centre for Evidence Based Medicine, University of Oxford, Oxford OX3 7LF, UK; jefferson.tom@ gmail.com The philosopher of science, Thomas Kuhn, would probably have called our reliance on biomedical journal trial evidence a paradigm. It has served us well, allowing the building of the philosophical<sup>2</sup> and practical<sup>3</sup> backbone of evidence-based healthcare. However, like all paradigms sooner or later it has begun to creak. Our reliance on journal articles needs a redefinition, if not a shift. In the last decade, 4 evidence has accumulated, 5 across a spectrum of different interventions, 6 that journal publications<sup>7</sup> cannot be trusted. Article reports of clinical trials suffer from a grave illness which is curable, but needs a concerted approach to prevent the growing threat of reporting bias.8 When some of us started looking at the alternative sources of evidence for our Cochrane review of neuraminidase inhibitors9 for influenza nearly a decade ago, we discovered that below every 10-page trial report lies a far deeper and more complex web of data and information needing attention. That is, if the trial was published in the first place.

The first problem is sheer bulk. For every page of journal article, there may be up to 8000 pages of regulatory data on the same clinical trial. We call it a compression factor.

The next problem is bias. We reasoned that even the most faithful servant of evidence would not be able to publish a 10-pager based on a regulatory report without a radical selection of information and data. As we have no idea what the criteria for choosing which plum to publish are, this introduces unfathomable bias. Sometimes the bias is so bad that it distorts single trial reports, but it also distorts the findings of systematic reviews, as our neuraminidase inhibitor story shows.

Evidence of distortion in the results of research is now overwhelming, and it mainly comes from studies comparing journal articles with other sources of information.11 These sources include register entries and different types of regulatory data now on offer, from regulators' reports to clinical study reports (the regulatory equivalent of a journal publication), to overviews of whole trial programmes. Secreted and confidential up to a few years ago, clinical study reports are now coming to light from regulators and industry sources with seeming unstoppable momentum. Latest to look at releasing clinical study reports is the mighty Food and Drug Administration. 12 The catalyst to this change was the Nordic Cochrane Centre's dogged insistence of access and the European Union Ombudsman's support, 13 which ultimately led the European Medicines Agency to change its policies. 14 15

The thing about clinical study reports is not just that they provide missing information on such pedestrian details like what's in a placebo or even

what it looks like.<sup>9</sup> They also provide sufficient data for carrying out stratified analyses, and more often report patient-relevant outcomes lay bare the shabby way in which we currently look at and analyse harms.<sup>6</sup> <sup>16</sup> <sup>17</sup>

So, should we ignore evidence from journal articles? If steps are not taken urgently to address the situation, then 'probably' would be our answer. By the law of Garbage In Garbage Out, whatever we produce in our reviews will be systematically assembled and synthesised garbage with a nice Cochrane logo on it. One major problem is our ignorance of the presence of garbage, as its invisibility makes its distortions credible and impossible to check. This is how some of us happily signed off a Cochrane review with findings which had been completely and invisibly subverted <sup>18</sup> by reporting bias.

Garbage, however, is often neutral, but some articles are not neutral. They can be carefully contrived pieces of marketing, <sup>19</sup> part of a global jigsaw. We can only guess at what their purpose is and what the true results are. We need to stop producing reviews based on articles (or at least solely on articles) and seriously and urgently look at drawing from data sources which allow alternative explanations and conclusions from the data, because the data set is detailed and near-complete.

How do we redefine the 'E' paradigm? We recently published an index of all prospective comparative studies on human papillomavirus vaccines we could find.20 The index is made of study IDs and (where possible) a description of their content. Predictably, only 62% of the completed studies had been published and none of the non-industry-sponsored studies' underlying documentation was available. Ninety-five per cent of studies were listed on regulatory or industry trial registers or journal publication databases, but only 48% of completed studies listed on Clinical-Trials.gov had study results posted. It took us 3 months to complete the index, starting from correspondence with regulators and adding studies by identifying them by cross-referencing from several other sources: industry, registers and other regulatory documents. Not as straightforward as an electronic database publication search. But that's the point. It is more difficult and complex because you are getting close to what really happened in the trials and how they were really run. Your labour is rewarded with a near-complete overview of the development of an important intervention often given to millions of healthy folk or patients around the world. Clinical study reports are still commercial documents, but they are written for the wise and cannot, and should not, omit anything (although they may have internal



**To cite:** Jefferson T, Jørgensen L. *BMJ Evidence-Based Medicine* 2018;**23**:46–47. inconsistencies<sup>21</sup>). If there are distortions, they may be approved or overlooked by regulators.

Indexing, at least for now, is more resource-intensive than electronic database searches. The two can be run together and perhaps should be combined. But looking for regulatory data and compiling an index will give us a very good idea of what we are missing and what the limits of our reviews are.

Ethics and Evidence both begin with 'E'.

## **Article translations**

There is a Spanish language translation of this article available as a data supplement.

Disclaimer Supplementary File 1: The version of the article in this file has been translated and adapted from the original English-language content. Translated content is provided on an "as is" basis. Translation accuracy or reliability is not guaranteed or implied. BMJ is not responsible for any errors and omissions arising from translation to the fullest extent permitted by law, BMJ shall not incur any liability, including without limitation, liability for damages, arising from the translated text.

Competing interests TJ was a corecipient of a UK National Institute for Health Research grant (HTA - 10/80/01 Update and amalgamation of two Cochrane reviews: neuraminidase inhibitors for preventing and treating influenza in healthy adults and children; https://www.journalslibrary.nihr.ac.uk/ programmes/hta/108001#/). TJ is also in receipt of a Cochrane Methods Innovations Fund grant to develop guidance on the use of regulatory data in Cochrane reviews. TJ is occasionally interviewed by market research companies about phase I or II pharmaceutical products. In 2011-2014, TJ acted as an expert witness in a litigation case related to the antiviral oseltamivir, in two litigation cases on potential vaccine-related damage and in a labour case on influenza vaccines in healthcare workers in Canada. He has acted as a consultant for Roche (1997-1999), GSK (2001-2002), Sanofi-Synthelabo (2003) and IMS Health (2013). In 2014-2016, TJ was a member of three advisory boards for Boehringer Ingelheim. TJ was a member of an independent data monitoring committee for a Sanofi Pasteur clinical trial on an influenza vaccine. TJ has a potential financial conflict of interest on the drug oseltamivir. TJ was a cosignatory of a complaint to the European Ombudsman on maladministration in relation to the EMA investigation of possible harms from HPV vaccines. LJ has no competing interests to declare.

**Provenance and peer review** Commissioned; internally peer reviewed.

<sup>©</sup> Article author(s) (or their employer(s) unless otherwise stated in the text of the article) 2018. All rights reserved. No commercial use is permitted unless otherwise expressly granted.

## References

- Kuhn T. Wikipedia [Internet]. 2018 https://en.wikipedia.org/w/index.php? title=Thomas\_Kuhn&toldid=818328161 (accessed 2018 Jan 31).
- Heneghan C, Mahtani KR, Goldacre B, et al. Evidence based medicine manifesto for better healthcare. BMJ 2017;357;j2973.
- Cochrane Handbook for Systematic Reviews of Interventions | Cochrane Training [Internet]. http://training.cochrane.org/handbook (accessed 31 Jan 2018).

- Turner EH, Matthews AM, Linardatos E, et al. Selective publication of antidepressant trials and its influence on apparent efficacy. N Engl J Med 2008;358:252–60.
- Vedula SS, Li T, Dickersin K. Differences in reporting of analyses in internal company documents versus published trial reports: comparisons in industry-sponsored trials in off-label uses of gabapentin. *PLoS Med* 2013;10:e1001378.
- Golder S, Loke YK, Wright K, et al. Reporting of Adverse Events in Published and Unpublished Studies of Health Care Interventions: A Systematic Review. PLoS Med 2016;13:e1002127.
- Rohner E, Grabik M, Tonia T, et al. Does access to clinical study reports
  from the European Medicines Agency reduce reporting biases? A
  systematic review and meta-analysis of randomized controlled trials on the
  effect of erythropoiesis-stimulating agents in cancer patients. PLoS One
  2017;12:e0189309.
- McGauran N, Wieseler B, Kreis J, et al. Reporting bias in medical research

   a narrative review. Trials 2010;11:37.
- Neuraminidase inhibitors for preventing and treating influenza in adults and children - Jefferson - 2014 - The Cochrane Library - Wiley Online Library [Internet]. http://onlinelibrary.wiley.com/doi/ (accessed 31 Jan 2018).
- Doshi P, Jefferson T. Clinical study reports of randomised controlled trials: an exploratory review of previously confidential industry reports. BMJ Open 2013;3:e002496.
- Wieseler B, Kerekes MF, Vervoelgyi V, et al. Impact of document type on reporting quality of clinical drug trials: a comparison of registry reports, clinical study reports, and journal publications. BMJ 2012;344:d8141.
- 12. Commissioner O of the. Press Announcements FDA Commissioner Scott Gottlieb, M.D., on new steps FDA is taking to enhance transparency of clinical trial information to support innovation and scientific inquiry related to new drugs [Internet]. https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm592566.htm?utm\_campaign= 01162018\_Statement\_Transparency%20of%20clinical%20trial% 20information&tutm\_medium=email&tutm\_source=Eloqua (accessed 31 Jan 2018).
- Gøtzsche PC, Jørgensen AW. Opening up data at the European Medicines Agency. BMJ 2011;342:d2686.
- Home clinicaldata.ema.europa.eu [Internet]. https://clinicaldata.ema. europa.eu/web/cdp (accessed 31 Jan 2018).
- European Medicines Agency How we work Access to documents [Internet]. http://www.ema.europa.eu/ema/index.jsp?curl=pages/document\_library/document\_listing\_000312.jsp\u00a8 (accessed 31 Jan 2018).
- Schroll JB, Penninga EI, Gøtzsche PC. Assessment of Adverse Events in Protocols, Clinical Study Reports, and Published Papers of Trials of Orlistat: A Document Analysis. *PLoS Med* 2016;13:e1002101.
- Hodkinson A, Kirkham JJ, Tudur-Smith C, et al. Reporting of harms data in RCTs: a systematic review of empirical assessments against the CONSORT harms extension. BMJ Open 2013;3:e003436.
- Jefferson T, Jones M, Doshi P, et al. Neuraminidase inhibitors for preventing and treating influenza in healthy adults: systematic review and meta-analysis. BMJ 2009;339:b5106.
- Le Noury J, Nardo JM, Healy D, et al. Restoring Study 329: efficacy and harms of paroxetine and imipramine in treatment of major depression in adolescence. BMJ 2015;351:h4320.
- Jørgensen L, Gøtzsche PC, Jefferson T. Index of the human papillomavirus (HPV) vaccine industry clinical study programmes and non-industry funded studies: a necessary basis to address reporting bias in a systematic review. Syst Rev 2018:7:8.
- Sharma T, Guski LS, Freund N, et al. Suicidality and aggression during antidepressant treatment: systematic review and meta-analyses based on clinical study reports. BMJ 2016;352:i65.